


Whitmore

20 Dec 76


Enclosed are the dwgs. we discussed Friday.  
Let's make this one with the two detachable side  
pieces,  $1" \times 26" \times 36"$ , which will be stowed separately  
with the remainder in one locker if possible. Once  
unstowed we need to attach & detach the exerciser  
to & from the floor easily. The dimensions will be as  
discussed -

W.F.



STORAGE LOCKER  
INSIDE DIMENSIONS

7/12/76



• ALL DIMENSIONS ARE MINIMUM




Rockwell International  
Space Division

66SSV49254

REVISIONS

SEE ENGINEERING ORDER FOR DESCRIPTION OF REVISIONS

GENERAL NOTES : (UNLESS OTHERWISE SPECIFIED)  
1. MAG. INSP. PER MIL-16868 1



3679  
3750  
DIA .040 x 45° CHAMFER  
I.D 3/8-24 UNF-3A

REPRODUCTION OF THE DRAWING FOR MANUFACTURE  
OF THE PROHIBITED PAPER CONTAINING  
WRITTEN CONTENT OF A NATURE  
TENDING TO BRING INTO  
DISREPUTE THE  
HONOR OF THE  
UNITED STATES OF AMERICA  
OR OF ANY OF ITS  
OFFICIALS OR  
OFFICERS


|                     |      |      |
|---------------------|------|------|
| PART NUMBER & DIM'S | 1.02 | 1.02 |
| DASH NUMBER         | L    | 6    |
| -101                | 1.00 | .25  |

7-11-68

4-22-6

[illegible]

# SPECIALIST / PASSENGER SEAT TIE DOWN DETAIL FLIGHT & MID DECK



S. S. S. S.  
4-21-76