The U.S. Air Force Experimental Sealed Cabin

By H. STRUGHOLD, M.D., Ph.D.

PAR

The U.S. Air Force Experimental Sealed Cabin

BY H. STRUGHOLD, M.D., Ph.D.

ODERN rocket powered planes in which the breathing air is furnished from the ambient air. are attaining altitudes where the conventional pressurized cabins are becoming unsuitable for use.5,11,20 This altitude limit is reached at about 80,000 feet for the following reasons:

- 1. Technical.—Because of the low air density, compressing the ambient air is technically prohibitive, due to the necessary weight and space requirements of the compressors.
- 2. Thermodynamical.—Compressing the rarified ambient air to a physiological useful range according to Mayo¹¹ would produce a temperature of about 400° F. in the cabin, which would be intolerable for the occupants.
- 3. Toxicological.—At about 60,000 feet a region of the atmosphere is reached in which various photochemical reactions occur, the most important of which is the formation of ozone.17 By compressing the air of this ozonosphere or "chemosphere,"8 the concentration of ozone may reach the threshold of toxicity.

For flights in the higher regions of the stratosphere, the conventional pressurized cabin must be replaced by a new type of cabin—the sealed cabin.

This type of cabin represents a hermetically closed ecological system in which the breathing air is not pumped in from the air outside the craft, but must be taken along at the start. The oxygen consumed by the occupants of the sealed cabin must be replaced from stores within the ship. The carbon dioxide must be removed, and temperature, humidity and odors must be controlled. These are the main problems involved in sealed or hermetic cabin flights.2-4,6,12,13

While the altitude limit for the use of oxygen equipment lies at about 40,000 feet, and for the pressure cabin at about 80,000 feet, the sealed cabin has no limitation on altitude. This type of cabin gives us the green light into space.

The forerunner of the sealed cabin was the sealed gondola used by the Piccard brothers14 and by Stevens and Anderson in their record breaking balloon flight of 72,395 feet in the Explorer II in 1934.18 The areomedical knowledge gained from the latter flight has been evaluated by Armstrong, in a paper published in 1936.1 A more general review of the problems involved in sealed compartments has been reported by Fenno.6 The knowledge gained in submarines and bathyspheres is also of great value.15 However, the coming development of the hermetic cabin craft will make necessary more detailed and specific studies.9,10,16 The possibility of carrying out such studies on the ground are offered by an exper-

Aviation Medicine, Randolph Air Force Base, Texas. Dr. Strughold is chief of the department of Space Medicine. From the U. S. Air Force School of nual luncheon meeting of the Space Medi-cine Association of the Aero Medical Association, Washington, D. C.

imental sealed cabin. The construction of such a chamber was initiated in 1952 by this school from blueprints designed by Dr. Fritz Haber. The 1. To what extent, and in what direction, are the various climatic factors changed by the presence of occupants in the cabin.




Fig. 1. The experimental sealed chamber of the U. S. Air Force School of Aviation Medicine, Randolph Air Force Base, Texas.

chamber was constructed by the Guardite Company of Chicago, Illinois, and delivered the summer of 1954. (Fig. 1.)

The experimentation program for this experimental sealed cabin is a combined research project of the space medicine and of physiology-biophysics. It is not within the scope of this paper to discuss the various research tasks. I would like to say, however, that the project involves two main problems which warrant investigation:

. 2. How can these changes be counteracted by physical, technical, or biological means.

This experimental chamber also can serve as a training device to indoctrinate the occupant with the problems encountered in a closed ecological system and to familiarize him with the procedures necessary to handle any emergency situations such as the failure of the automatic control systems and an eventual puncture of the cabin itself.

EXPERIMENTAL SEALED CABIN—STRUGHOLD

The Air Force experimental sealed cabin is a prototype of the cabin that may be built into future space ships. This type of cabin will also be required in the coming phase of "global spaceequivalent flight" at supersonic speed through the space-equivalent regions of the atmosphere.

REFERENCES

1. Armstrong, H. G.: The medical aspects of the National Geographic Society —U. S. Army Air Corps Stratosphere Expedition of November 11, 1935. J. Av. Med., 7:55, 1936.

2. BOWMAN, N. J.: The food and atmosphere in the strategy of the

phere control problem in space vessels. J. Brit. Interplan. Soc., 12:159, 1953.

3. BUETTNER, METTNER, K.: Bioclimatology of manned rocket flight. Chapter VIII

in reference 21.
4. CLAMANN, H. G.: Continuous recording of oxygen, carbon dioxide and other gases in sealed cabins. J. Av. Med., 23:330, 1952.

5. Dornberger, W.: Flights at the upper border of the atmosphere. (Unpub-

lished report).

Fenno, R. M.: Man's milieu in space. J. Av. Med., 25:612, 1954.
 Committee on Undersea Warfare: Hu-

man Factors in Undersea Warfare: Washington, D. C.: National Re-search Council, 1949, p. 13.

8. KAPLAN, J.: The chemosphere. Chapter VII in reference 21.
9. LEE, M. F., HENRY, J. P., and BALLINGER, E. R.: Basic requirements for

survival of mice in a sealed atmosphere. J. Av. Med., 25:399, 1954.

10. Luft, U.: Physiological limitations in cabin environment and human adaptations. Chapter XXI in reference 21.

11. Mayo, A. M.: Basic environmental problems relating to man and the aeropause. Chapter I in reference 21.

12. Medical problems of sealed high altitude aircraft compartments. Abstr

tude aircraft compartments. Abstr. of Air Corps Tech. Report No. 4165. Physiologic Requirements of Sealed High Altitude Aircraft Compartments, 1936.

13. MURRAY, W. D.: A gondola for physiological research. J. Av. Med., 25: 354, 1954.

14. PICCARD, A.: Ballooning in the stratosphere. National Geographic Maga-

zine, 63:353, 1933.

15. Schaefer, E. K.: Studies of carbon dioxide toxicity. I. Chronic CO₂ toxicity in submarine medicine. USN Med. Res. Lab., New London, Conn. MRL No. 181, 1951.

 SIMONS, D. G.: Methods and results of one year of balloon flights with biological specimens. J. Av. Med., 25:4, 1954.

17. Specht, H.: Toxicology of travel in the aeropause. Chapter VIII in reference 21.

Stevens, A. W.: Exploring the strato-sphere. National Geographic Maga-zine, 65:397, 1934.

Stratosphere series: Summary of the Results of the Flight of Explorer II. Washington: National Geographical Society. 1935.
 WHITE, C. S., and BENSON, O. O., JR. (Ed.): Physics and Madicine in the

(Ed.): Physics and Medicine in the Upper Atmosphere.
The University of Albuquerque: New Mexico Press, 1952.