27 June

Bruce in the interest of expediency I am sending you by counter to counter air shipment the faist data on the BP device. Please return the phylosophed ASAP. Data consists, of comparisons made in 3 ways Machine ers 1) microphone - headset

2) stethescope on measured arm

2) or opposite arm during measurement

Commente in the letter + elsewhere. ply our ASAP

a 12 hour tape from a 32 % or hypotensive A

commenty transport payments in the letter of lesswhere.

and send the records by Air Mail in the future - Bly trun them around ASAP & ply get the modes to me so we can run borderlines & normals ASAP.

for me)

In addition to the comments in the letteryesterday the machine failed to deflate 3% in 24 Hrs.

Yesterday the machine failed to deflate 3% in 24 Hrs.

Fortuntly

I had shown the pt. how to pull a hose connector a

replace it. This must be fail safe- Consider a manual

(mechanical) a release for this test- Redundant on electric value of

times for future.
The pts. pressure was up last night & it wouldn't trigger on \$ I&II of k sounds & a resulting v. 30 mm.

Hg. systelic error. (Frequency response probe- [4]] one 11.5)

Your real problem at this time is the old problem this B.P. measurement - processing & detecting & sounds. I have some ideas here but you would feel them inappropriate & inconsistent to getting the machine ent' 4 hopefully your fixes will cover say + 90% of the pts. (it must be secure consistent on a given pt, under all conditions) which will do for a start. I have are too many buts & pieces and it is therefore a let of trouble to set up.

Hopefully the data is adequately annotated + if not call. Also let me know of other specific data a Hill try to get da a record every other day at the moment or every day shortly.

I have sent the first of a five part coordination of policy letter of no matter what we do I need to know what to expect just as you must know. If as in the past you require most of these items I must assume a negative answer of proceed accordingly. I am making preparation for future changes of am getting toiched for surprises or for kidding myself. Sincold