

J. CARR
 SL-4
 (F-15)

(1° = 0.5333 mm)

| CYCLES | FLEXION | | | | | EXTENSION | | | | |
|--------|---------|-------------|---------------------|---------------------|-------------|-----------|-------------|---------------------|---------------|-------------|
| | DEGREE | HORIZ. (mm) | VERT. (SCALE UNITS) | INTE. GRAD. (SCALE) | FORCE (lbs) | DEGREE | HORIZ. (mm) | VERT. (SCALE UNITS) | INTE. (SCALE) | FORCE (lbs) |
| 1 | 30° | 16 | 8.25 | | | 30° | 16 | 14.5 | | |
| | 50° | 26.6 | 9.0 | | | 50° | 26.6 | 22.0 | | |
| | 70° | 37.3 | 8.5 | | | 70° | 37.3 | 27.0 | | |
| | 90° | 48 | 6.5 | 9.5 | | 90° | 48 | 25.0 | 23.2 | |
| 2 | 30 | 16 | 6.5 | | | 30 | 16 | 13.0 | | |
| | 50 | 26.6 | 7.5 | | | 50 | 26.6 | 20.5 | | |
| | 70 | 37.3 | 8.5 | | | 70 | 37.3 | 25.0 | | |
| | 90 | 48 | 6.5 | 7.5 | | 90 | 48 | 25.5 | - | |
| 3 | 30 | 16 | 6.5 | | | 30 | 16 | 14.5 | | |
| | 50 | 26.6 | 7.0 | | | 50 | 26.6 | 21.5 | | |
| | 70 | 37.3 | 7.5 | | | 70 | 37.3 | 25.5 | | |
| | 90 | 48 | 6.5 | - | | 90 | 48 | 24.5 | - | |
| 4 | 30 | 16 | 7.0 | | | 30 | 16 | 12.5 | | |
| | 50 | 26.6 | 7.5 | | | 50 | 26.6 | 21.0 | | |
| | 70 | 37.3 | 8.5 | | | 70 | 37.3 | 25.0 | | |
| | 90 | 48 | 7.0 | - | | 90 | 48 | 25.0 | - | |
| 5 | 30 | 16 | 8.0 | | | 30 | 16 | 11.5 | | |
| | 50 | 26.6 | 8.5 | | | 50 | 26.6 | 18.25 | | |
| | 70 | 37.3 | 8.5 | | | 70 | 37.3 | 22.0 | | |
| | 90 | 48 | 7.0 | - | | 90 | 48 | 21.0 | - | |
| 6 | 30 | 16 | 7.0 | | | 30 | 16 | 13.0 | | |
| | 50 | 26.6 | 8.0 | | | 50 | 26.6 | 22.0 | | |
| | 70 | 37.3 | 7.5 | | | 70 | 37.3 | 26.5 | | |
| | 90 | 48 | 5.5 | - | | 90 | 48 | 25.5 | - | |
| 7 | 30 | 16 | 7.0 | | | 30 | 16 | 14.5 | | |
| | 50 | 26.6 | 7.5 | | | 50 | 26.6 | 20.0 | | |
| | 70 | 37.3 | 7.0 | | | 70 | 37.3 | 24.5 | | |
| | 90 | 48 | 5.0 | 7.5 | | 90 | 48 | 22.0 | 20.75 | |
| 8 | 30 | 16 | 7.25 | | | 30 | 16 | 15.0 | | |
| | 50 | 26.6 | 7.5 | | | 50 | 26.6 | 20.5 | | |
| | 70 | 37.3 | 6.5 | | | 70 | 37.3 | 23.5 | | |
| | 90 | 48 | 5.0 | 7.5 | | 90 | 48 | 16.5 | 19.5 | |
| 9 | 30 | 16 | 6.5 | | | 30 | 16 | 14.5 | | |
| | 50 | 26.6 | 6.5 | | | 50 | 26.6 | 21.0 | | |
| | 70 | 37.3 | 6.25 | | | 70 | 37.3 | 24.0 | | |
| | 90 | 48 | 4.0 | 7.0 | | 90 | 48 | 20.0 | 20.5 | |

J. CARR - CDR
SL-4 (F-30)

| LEG FLEXION | | | | | | LEG EXTENSION | | | | |
|-----------------|-----|---------------|--------------------------|------|----------------|---------------|---------------|-------|------|----------------|
| CYCLES | DEG | HORIZ (mm) | VERT (SCALE KNITS) | INT. | FORCE (lbs) | DEG. | HORIZ (mm) | VERT. | INT. | FORCE (lbs) |
| (1° = 0.488 mm) | 30° | 14.6 | | | | 30° | 14.6 | | | |
| 1 | 50° | 24.4 | | | | 50° | 24.4 | | | |
| | 70° | 34.2 | | | | 70° | 34.2 | | | |
| | 90° | 44 | | | | 90° | 44 | | | |